PT2T

Tingley FR

MCR Safety FR Gear - Flame Resistant FR Tan Work Pants - 7 oz. 88% Cotton and 12% Nylon Twill Fabric - CAT2 / ATPV 8.6 cal/cm^2 - Button Up and Zippered Fly Front - Reinforced and Pleated Knees for Easier Bending, Stooping, and Climbing



Flammability Standard 1	UL Certified	ARC Risk Category
NFPA 2112	Yes	CAT 2

Flammability Standard 2	TAA Compliant
NFPA 70E	Yes

FEATURES

- **ATPV 8.6 cal/cm^2**
- **CAT 2 FR Work Pants**
- **Double Stitched for durability and wear**
- **NFPA 2112 and NFPA 70E**
- **Pleated knees, added material for ease of bending**

SPECIFICATIONS

Category	FR Gear
Color	Tan
Material	Twill 88/12 Cotton Nylon
Front Closure 1	Zipper & Button
Garment Type	Pant
ARC Risk Category	CAT 2

Product #	Inseam (in.)	Case Pack	Case Weight (lbs)	Case Dimensions (cm)
PT2T2830	30	24	27.672	16.929 x 11.811 x 14.961
PT2T2832	32	24	27.672	16.929 x 11.811 x 14.961
PT2T2834	34	24	27.672	16.929 x 11.811 x 14.961
PT2T28U	34	24	30.768	20.866 x 17.323 x 12.205
PT2T3030	30	24	30.192	20.866 x 17.717 x 12.205
PT2T3032	32	24	29.664	20.866 x 17.323 x 12.205
PT2T3034	34	24	31.872	20.866 x 17.717 x 12.205
PT2T3036	36	24	32.352	21.260 x 17.323 x 12.205
PT2T30U	38	24	32.760	20.866 x 17.323 x 12.205
PT2T3230	30	24	30.912	20.472 x 17.323 x 12.205
PT2T3232	32	24	31.752	20.866 x 17.323 x 12.205
PT2T3234	34	24	32.232	20.866 x 17.717 x 12.205
PT2T3236	36	24	33.120	20.866 x 17.323 x 12.205

MCR Safety Group
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

800.955.6887
www.mcrsafety.com/pt2t

PT2T

Tingley FR

MCR Safety FR Gear - Flame Resistant FR Tan Work Pants - 7 oz. 88% Cotton and 12% Nylon Twill Fabric - CAT2 / ATPV 8.6 cal/cm^2 - Button Up and Zippered Fly Front - Reinforced and Pleated Knees for Easier Bending, Stooping, and Climbing

Product #	Inseam (in.)	Case Pack	Case Weight (lbs)	Case Dimensions (cm)
PT2T32U	38	24	34.848	20.866 x 17.323 x 12.205
PT2T3430	30	24	33.000	20.472 x 17.323 x 12.205
PT2T3432	32	24	33.840	20.866 x 17.323 x 12.205
PT2T3434	34	24	34.488	20.866 x 17.717 x 12.205
PT2T3436	36	24	37.032	26.772 x 16.929 x 14.961
PT2T34U	38	24	37.728	26.378 x 16.929 x 14.961
PT2T3630	30	24	35.472	26.772 x 16.929 x 15.354
PT2T3632	32	24	34.752	20.866 x 17.717 x 12.205
PT2T3634	34	24	34.752	20.866 x 17.323 x 12.205
PT2T3636	36	24	36.480	20.866 x 17.323 x 12.205
PT2T36U	38	24	36.840	21.260 x 17.323 x 12.205
PT2T3830	30	24	41.064	20.472 x 17.323 x 12.205
PT2T3832	32	24	42.216	20.472 x 17.323 x 12.205
PT2T3834	34	24	43.272	20.472 x 17.323 x 12.205
PT2T3836	36	24	39.408	26.772 x 16.929 x 14.567
PT2T38U	38	24	40.128	26.378 x 16.929 x 15.354
PT2T4030	30	24	42.240	20.079 x 17.323 x 12.205
PT2T4032	32	24	43.152	20.866 x 17.717 x 12.205
PT2T4034	34	24	44.064	20.866 x 17.323 x 12.205
PT2T4036	36	24	40.416	26.772 x 16.929 x 14.961
PT2T40U	38	24	41.328	26.378 x 16.929 x 15.354
PT2T4230	30	24	38.568	26.378 x 16.929 x 15.354
PT2T4232	32	24	39.504	26.378 x 16.929 x 15.354
PT2T4234	34	24	40.224	26.772 x 16.929 x 15.354
PT2T4236	36	24	42.240	26.378 x 16.929 x 14.567
PT2T42U	38	24	42.576	26.772 x 16.929 x 15.354
PT2T4430	30	24	39.672	26.772 x 16.929 x 14.961
PT2T4432	32	24	41.472	26.772 x 16.929 x 14.961
PT2T4434	34	24	41.472	26.772 x 16.929 x 14.961
PT2T4436	36	24	32.328	26.378 x 16.929 x 14.961
PT2T44U	38	24	43.632	26.772 x 16.929 x 14.961
PT2T4630	30	24	36.216	20.472 x 17.323 x 12.205
PT2T4632	32	24	36.696	20.866 x 17.323 x 12.205
PT2T4634	34	24	37.680	20.472 x 17.323 x 12.205

MCR Safety Group
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

800.955.6887
www.mcrsafety.com/pt2t

PT2T

Tingley FR

MCR Safety FR Gear - Flame Resistant FR Tan Work Pants - 7 oz. 88% Cotton and 12% Nylon Twill Fabric - CAT2 / ATPV 8.6 cal/cm^2 - Button Up and Zippered Fly Front - Reinforced and Pleated Knees for Easier Bending, Stooping, and Climbing

Product #	Inseam (in.)	Case Pack	Case Weight (lbs)	Case Dimensions (cm)
PT2T4636	36	24	38.808	20.866 x 17.323 x 12.205
PT2T46U	38	24	13.656	16.000 x 20.000 x 8.500
PT2T4830	30	24	37.872	22.500 x 17.500 x 12.000
PT2T4832	32	24	38.664	21.500 x 17.000 x 12.000
PT2T4834	34	24	38.664	20.866 x 17.323 x 12.205
PT2T4836	36	24	39.048	20.866 x 17.323 x 12.205
PT2T48U	38	24	39.360	20.866 x 17.323 x 12.205
PT2T5030	30	24	30.000	25.984 x 15.000 x 10.039
PT2T5032	32	24	30.000	25.984 x 15.000 x 10.039
PT2T5036	36	24	30.000	25.984 x 15.000 x 10.039
PT2T50U	38	24	40.104	21.260 x 17.323 x 12.205