

Summit Breeze® Flame Resistant
(FR) Coverall
Gray 5.5-ounce Inherent Blend
Material
Long Sleeve with Vented Underarms
and Back
1-Inch Silver FR Reflective Stripes,
CAT 2
ASTM F1930 Tested - Less Than 8%
Body Burn!



Color

Gray

Under Arm Air Vents

Yes

ARC Risk Category

CAT 2

Material

Inherent Blend

Cape Vented

Yes

Product Type

Workwear

Front Closure 1

Zipper & Snaps

UL Certified

Yes

FR Test Method 1

ASTM F1506 Cert.





SBC1011

FR Test Method 2

ASTM 1930 Cert.



<i>Product #</i>	<i>Case Pack</i>	<i>Case Weight (lbs)</i>	<i>Case Dimensions (cm)</i>
SBC101138	12	21.948	16.000 x 11.000 x 24.500
SBC101138T	12	25.404	27.559 x 16.929 x 15.354
SBC101140	12	25.776	27.165 x 16.535 x 15.354
SBC101140T	12	25.704	17.000 x 27.500 x 15.000
SBC101142	12	25.500	27.500 x 17.500 x 15.000
SBC101142T	12	26.952	26.772 x 16.929 x 14.961
SBC101144	12	29.700	26.772 x 16.929 x 14.961
SBC101144T	12	27.684	27.559 x 16.929 x 14.961
SBC101146	12	27.852	27.559 x 16.929 x 14.961
SBC101146T	12	32.004	26.378 x 16.929 x 15.354
SBC101148	12	28.104	27.000 x 16.500 x 16.000
SBC101148T	12	32.700	26.378 x 16.929 x 15.354
SBC101150	12	29.208	27.559 x 16.929 x 14.961
SBC101150T	12	33.744	26.772 x 16.929 x 15.354
SBC101152	12	30.096	27.500 x 17.000 x 15.500
SBC101152T	12	35.448	26.772 x 16.929 x 15.354
SBC101154	12	31.248	27.559 x 16.929 x 15.354
SBC101154T	12	36.612	26.772 x 16.929 x 14.961
SBC101156	12	32.100	27.559 x 16.929 x 14.961
SBC101156T	12	32.508	27.559 x 16.929 x 14.961
SBC101158	12	35.628	26.772 x 16.929 x 14.961
SBC101158T	12	38.976	26.772 x 16.929 x 14.961
SBC101160	12	38.844	26.378 x 16.929 x 14.961
SBC101160T	12	34.872	27.000 x 17.000 x 14.500
SBC101162	12	40.356	26.772 x 16.929 x 14.961
SBC101162T	12	45.045	22.047 x 15.748 x 15.354
SBC101164	12	36.840	26.378 x 16.929 x 14.961
SBC101164T	12	19.248	20.000 x 13.500 x 11.000

