

Summit Breeze® Flame Resistant
(FR) Coverall
Navy 5.5-ounce Inherent Blend
Material
Long Sleeve with Vented Underarms
and Back
1-Inch Silver Reflective Stripes, CAT 2
ASTM F1930 Tested - Less Than 8%
Body Burn!



Color

Navy Blue

Under Arm Air Vents

Yes

ARC Risk Category

CAT 2

Material

Inherent Blend

Cape Vented

Yes

Product Type

Workwear

Front Closure 1

Zipper & Button

UL Certified

Yes

FR Test Method 1

ASTM F1506 Cert.





SBC1012

FR Test Method 2

ASTM 1930 Cert.



<i>Product #</i>	<i>Case Pack</i>	<i>Case Weight (lbs)</i>	<i>Case Dimensions (cm)</i>
<i>SBC101238</i>	<i>12</i>	<i>28.548</i>	<i>26.378 x 16.929 x 14.961</i>
<i>SBC101238T</i>	<i>12</i>	<i>24.984</i>	<i>26.378 x 16.929 x 15.354</i>
<i>SBC101240</i>	<i>12</i>	<i>26.004</i>	<i>16.000 x 11.000 x 24.500</i>
<i>SBC101240T</i>	<i>12</i>	<i>36.636</i>	<i>22.835 x 15.748 x 22.835</i>
<i>SBC101242</i>	<i>12</i>	<i>28.284</i>	<i>26.378 x 16.929 x 15.354</i>
<i>SBC101242T</i>	<i>12</i>	<i>26.748</i>	<i>27.500 x 18.500 x 15.000</i>
<i>SBC101244</i>	<i>12</i>	<i>26.952</i>	<i>26.000 x 17.000 x 15.500</i>
<i>SBC101244T</i>	<i>12</i>	<i>27.684</i>	<i>26.378 x 16.929 x 14.961</i>
<i>SBC101246</i>	<i>12</i>	<i>27.648</i>	<i>27.000 x 17.000 x 15.000</i>
<i>SBC101246T</i>	<i>12</i>	<i>28.248</i>	<i>15.000 x 17.000 x 28.000</i>
<i>SBC101248</i>	<i>12</i>	<i>28.656</i>	<i>16.500 x 26.000 x 15.000</i>
<i>SBC101248T</i>	<i>12</i>	<i>31.728</i>	<i>26.772 x 16.929 x 14.961</i>
<i>SBC101250</i>	<i>12</i>	<i>29.304</i>	<i>18.000 x 14.500 x 30.500</i>
<i>SBC101250T</i>	<i>12</i>	<i>32.724</i>	<i>26.378 x 16.929 x 15.354</i>
<i>SBC101252</i>	<i>12</i>	<i>30.504</i>	<i>27.500 x 17.000 x 15.000</i>
<i>SBC101252T</i>	<i>12</i>	<i>30.900</i>	<i>27.559 x 16.929 x 14.961</i>
<i>SBC101254</i>	<i>12</i>	<i>30.852</i>	<i>27.500 x 17.000 x 15.000</i>
<i>SBC101254T</i>	<i>12</i>	<i>34.428</i>	<i>26.772 x 16.929 x 15.354</i>
<i>SBC101256</i>	<i>12</i>	<i>31.800</i>	<i>27.559 x 16.929 x 14.961</i>
<i>SBC101256T</i>	<i>12</i>	<i>33.000</i>	<i>22.000 x 15.000 x 16.500</i>
<i>SBC101258</i>	<i>12</i>	<i>40.704</i>	<i>22.500 x 16.000 x 16.000</i>
<i>SBC101258T</i>	<i>12</i>	<i>34.248</i>	<i>27.000 x 17.500 x 15.000</i>
<i>SBC101260</i>	<i>12</i>	<i>33.552</i>	<i>25.500 x 20.000 x 15.000</i>
<i>SBC101260T</i>	<i>12</i>	<i>34.296</i>	<i>16.500 x 27.500 x 16.000</i>
<i>SBC101262</i>	<i>12</i>	<i>37.500</i>	<i>26.378 x 16.929 x 14.961</i>
<i>SBC101262T</i>	<i>12</i>	<i>40.065</i>	<i>26.378 x 16.929 x 15.354</i>
<i>SBC101264</i>	<i>12</i>	<i>35.544</i>	<i>26.772 x 16.929 x 14.961</i>
<i>SBC101264T</i>	<i>12</i>	<i>37.428</i>	<i>24.409 x 16.929 x 15.748</i>

